

Symmetry XG[®]

A New Standard in Sit-to-Stand Technology

Symmetry XG Standing Systems are designed for the best positioning available to support each client safely and comfortably.

Our exclusive **Shear-Reducing** and **Over-Center Seat Technologies** minimize movement during sit-to-stand transitions, reducing pressure and providing unmatched positioning and support.



**Safe and Comfortable
Shear-Reducing Support
Available in Adult and
Youth sizes**



Prime Engineering
4202 W. Sierra Madre Ave.
Fresno, CA 93722

(800) 827-8263
info@primeengineering.com
www.primeengineering.com



Symmetry XG Standard Features

Anatomically Shaped
Back Panel with
Contoured Top

Optional Swing-Away
Lateral Supports

Hydraulic Lift Handle
for use by Client or
Caregiver

Swivel Seat Assembly for
easy transfers, featuring our
exclusive
Over-Center Seat Technology

Individually Adjustable
Knee Supports

Easy to access
Minimal Footprint Frame

Adjustable Shoe Holders for individual
adjustment of Height, Toe-In / Toe-Out,
and Plantar / Dorsi Flexion

Additional Options Available:

- Variety of Upholstery Choices
- Headrests and Mounts
- Multiple Back Sizes
- Hip Guides
- Support Vest, Chest Belt, Seat Belt
- Multiple Tray Options and more..

Self-Elevating Tray with
Gas-Spring Assist
Adjusts easily for Height
and Depth

Easy Rolling, Locking Casters
Also available in a
Steel Caster Upgrade



Unique Features and Benefits

The **Symmetry XG**

Shear-Reduction System, featuring its innovative **Sliding Seat** and **Adjustable Sliding Back**, is designed to minimize shear and pressure while maintaining proper client positioning. These technologies work together to keep support surfaces aligned during lifting and lowering, reducing unwanted movement and preserving comfort. Our unique **Over-Center Seat Technology** establishes correct pelvic and hip alignment, enabling complete upright posture, proper weight bearing and mild hip hyperextension. By integrating optimum alignment with advanced shear-reducing features, the **Symmetry XG** offers unmatched safety, comfort, and maximizes the overall effectiveness of progressive standing programs.

Swivel Seat

Seat and Back Assembly, with all seat mounted supports, rotate together to facilitate safe and easy transfers, including patient lifts and transfer devices.



Swivel Release Location

The Swivel Seat Release is conveniently located at the front of the seat. The release lever moves with the the seat at all times for easy client or caregiver operation.

Reduced Footprint Frame

Symmetry XG base frame is shaped to allow closer access for safer transfers and caregiver assist.

Adjustable Sliding Back is standard with every back system, which reduces the the effect of shear and movement on the upper and lower body while transitioning from sitting to standing. Each system is adjustable for fine tuning to match each client. the Adjustable Sliding Back feature also assists in keeping the upper body support devices in place for the best control of your standing and positioning needs.



Additional Features and Benefits

Independent Adjustable Knee Supports



Standard Feature

For optimal positioning and comfort


Independent Adjustable Shoe Holders



Standard Feature

Individually adjustable for height, toe-in/toe-out, and plantar/dorsi flexion

Swing-Away Lateral Supports




Optional Feature

Provides upper body support that conveniently swings out of the way for transfers

Quick Seat Depth Adjustment

Standard Feature

Seat depth adjusts quickly and easily with two pull knobs that remain on the unit and are conveniently located for use



Hip Guides



Optional Feature

Keeps lower body centered in the seat for additional stability and easily swing out of the way for transfers

Self-Elevating Tray



Standard Feature

Tray adjusts up and down easily with assistance from a gas spring by loosening one adjustment knob. Manual depth adjustment is also quick and easy.

Specifications	Youth	Youth
Client Height Range	5' - 6'4"	3'6" - 5'6"
Max Client Weight	275 Lbs.	250 Lbs.
Foot Plate to Seat Vertical Range	16" - 21"	13.5" - 19.5"
Seat Depth Range	15" - 19"	12" - 16"

Visit our website or call for additional information and order forms



Prime Engineering
4202 W. Sierra Madre Ave.
Fresno CA 93722

